

PRODUCT CATALOGUE

A Company of the Group





WE DESIGN, WE PRODUCE, WE INNOVATE





Specialist wire processor and manufacturer of hightech accessories for furniture sold through different channels such as industry, distribution and DIY. Compagnucci is a well-established player whose output reflects a strong commitment to investment in research, design and development. Farsighted strategies, rewarded with fifty years of unique achievements and a prestige position on the international market, underlie an offering full of original, patented features, at the state of the art in quality and environmental certifications, and all in unmistakable Italian style.

The furniture sector and DIY, in strong and continuous expansion, are the divisions in which Compagnucci is the protagonist.





Great Numbers Great Value

FGV is the leading Italian manufacturer of furniture hardware and components. Since 1947 the company develops, produces and sells worldwide clever solutions for the furniture and kitchen industry at the right price. Over the years MADE IN FGV has become synonymous of Italian design combined with mass volume economies of scale. True to its slogan "Great Numbers, Great Value", FGV offers to the market the right products in the right quality at the right price. With 7 production plants in Italy, Slovakia, Brazil and China working with the same quality standards, FGV has the tools to propose affordable solutions with the latest technologies. Using state-of-the-art and cost efficient technology, FGV delivers a product portfolio which covers the needs of the industry. The FGV sales network of own subsidiaries is completed by a very performing net of strategic distributors to deliver modern furniture technology in every part of the world. Investing constantly in Customer service and new logistics solutions, FGV aim to help the furniture and kitchen industry to deliver an improved experience to the end-consumer when these buying and using furniture or kitchen cabinets.



Index



6

TECHNICAL SOLUTIONS

POLI-CRYSTAL LINE

16



24

POLI-OAK LINE

PREMIUM LINE

32







46

62

78

COMFORT LINE

CLASSIC LINE

TIRAMIGIÙ






82


WASTE BINS

DISH DRAINERS

90




TECHNICAL SOLUTIONS






All the pull-out units are equipped with full extension runners with soft-close system. The runner of the 520P model features a rack-and-pinion synchronization combined with the soft-open system.




Three-dimensional adjustment of the door 520/520P



310/300 Swing-out larder

Double swing-out larder 310

Single swing-out larder 300





The shelves can be fixed at different heights to optimize the space



Silent opening and closing movement

720 Girasolo

Corner pull-out shelves

Shelves motion on opening



Easy installation with only 8 screws





Adjustable height of the pole





Height adjustable baskets

Soft-opening and closing system


TECHNICAL SOLUTIONS

599H/599/597 Corner mechanism


Mechanism motion on opening 599H/599




Three-dimensional adjustment of the door 599/597









Mechanism with door brackets 599/597



Mechanism for hinged doors 599H



700 Twister

Shelves on curved runners for corner cabinets with door brackets

Shelves motion on opening











Fixing by brackets, three dimensional adjustement of the door

Mechanism for hinged doors









Reversible, it can be mounted on the right or left side of the cabinet



Three-dimensional adjustment of the door



420 Base pull-out with middle frame



Frame disassembled to optimize space during transportation

Fixing position of the runners on the sides of the cabinet Three-dimensional adjustment of the door

332/332P/332C A complete product family for application on narrow cabinets

All products are equipped with three-dimensional adjustment of the door







Base cabinet

Wall cabinet

Tall cabinet

613/614 Base pull-out trolley with two shelves

All products are equipped with three-dimensional adjustment of the door



Fixing position of the runners on the bottom of the cabinet



Fixing position of the runners on the side of the cabinet



Application with bread bag with fixing position of the runners on the side of the cabinet




Pull-out drawer basket with slides fixed on the sides of the cabinets for hinged doors





Door brackets with three-dimensional adjustments available on demand





485 Pull-out drawer basket for undersink cabinet







POLI-CRYSTAL LINE

The essentiality of glass combined with painted steel. The will to mix these two elements to combine elegance with pureness. A perfect blend suitable for kitchens that want to extend their style also through internal accessories.



White



Orion



Grey







Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets	>□<	W
523	1130-1310	4	150	107
524	1310-1510	4	300	257
525	1510-1700	5	400	357
526	1700-1900	5	450	407
527	1900-2080	6		

Finishes available (baskets/side profiles/frame):

• White/Glass/White

Grey/Glass/Grey



 $599\mathrm{H}$ Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)		
450	405	860-1020		
500	450	860-1020		
600	550	945-1250		

* K = cabinet internal width

Finishes available (baskets/side profiles/mechanism):

• White/Glass/White

● Grey/Glass/Grey

• Orion/Glass/Orion

599 Double corner mechanism with inner pull-out baskets with door brackets





Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/side profiles/mechanism):

• White/Glass/White

● Grey/Glass/Grey

• Orion/Glass/Orion







Full extension runners with soft-close system as standard Three-dimensional adjustment of the door	>□<	w
Total load capacity: 20 kg	150	111
Maximum load per basket: 10 kg	200	155
Reversible, it can be mounted on the right or left side of the cabinet	300	255
Installation depth: 489 mm		
Installation height: 636 mm		

Finishes available (baskets/side profiles/frame):

• White/Glass/White

● Grey/Glass/Grey

• Orion/Glass/Orion







Full extension runners with soft-close system as standard Three-dimensional adjustment of the door Total load capacity: 30 kg Maximum load per basket: 10 kg Fixing position of the runners on the cabinet sides Installation depth: 497 mm Installation height: 593 mm


>□<	W
300	264-268
400	364-368
450	414-418

Finishes available (baskets/side profiles/frame):

• White/Glass/White

Grey/Glass/Grey

		Orion/	Glass/	Orion
--	--	--------	--------	-------









POLI-OAK LINE

The charm of wood combined with painted steel. The perfect combination suitable for any kitchen, from the most classic to the most modern one. The interior accessories give the kitchen a style that mixes the warmth of wood with the modernity of metal.



Orion







Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets	>□<	w
523	1130-1310	4	150	107
524	1310-1510	4	300	257
525	1510-1700	5	400	357
526	1700-1900	5	450	407
527	1900-2080	6		

Finishes available (baskets/side profiles/frame): ● Orion/Wood/Orion



 $599\mathrm{H}$ Double corner mechanism with inner pull-out baskets for hinged doors




Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)		
450	405	860-1020		
500	450	860-1020		
600	550	945-1250		

* K = cabinet internal width

Finishes available (baskets/side profiles/mechanism):

• Orion/Wood/Orion



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/side profiles/mechanism):

• Orion/Wood/Orion





Full extension runners with soft-close system as standard	>□<
Three-dimensional adjustment of the door	<u></u>
Total load capacity: 20 kg	150
Maximum load per basket: 10 kg	200
Reversible, it can be mounted on the right or left side of the cabinet	
Installation depth: 489 mm	300
Installation height: 636 mm	

Finishes available (baskets/side profiles/frame):

• Orion/Wood/Orion

W

111

155

255







Full extension runners with soft-close system as standard Three-dimensional adjustment of the door Total load capacity: 30 kg Maximum load per basket: 10 kg Fixing position of the runners on the cabinet sides Installation depth: 497 mm Installation height: 593 mm

Finishes available (baskets/side profiles/frame): ● Orion/Wood/Orion

>□<	w
300	264-268
400	364-368
450	414-418







COMPAGNUCCI° 31



PREMIUM LINE

The reinterpretation of current aesthetics in a more modern key. The classic round wire becomes flat, giving the accessories a more elegant look. The bottom panel in HDF allows full advantage of the entire support surface of the baskets.



Chrome/White



Orion/Orion







Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Finishes available (baskets/bottom panel/frame): • Chrome/White/Grey

• Orion/Orion/Orion

Art.	H (min-max)	Baskets	>□<	w
523	1130-1310	4	150	107
524	1310-1510	4	300	257
525	1510-1700	5	400	357
526	1700-1900	5	450	407
527	1900-2080	6	500	457
			600	557

34



310 Double swing-out larder



Single extension roller runners Total load capacity: 85 kg	Art.	Н	Baskets	>□<	w
Maximum load per basket: 10 kg (inner), 5 kg (door)	313	1085	4+4	450	405
Installation depth: 495 mm	314	1405	5+5	500	455
Reversible, it can be mounted with doors opening to the right or to the left	316	1725	6+6	600	555

Works with hinges with a maximum opening angle of 115°

Finishes available (baskets/bottom panel/frame):

• Chrome/White/Grey







Single extension roller runners Total load capacity: 85 kg	Art.	Н	Baskets	>□<
Maximum load per basket: 10 kg (inner)	304	1405	4	450
Installation depth: 495 mm	306	1725	5	500
Reversible, it can be mounted with doors opening				600
to the right or to the left Works with hinges with a maximum opening angle of 115°				

Finishes available (baskets/bottom panel/frame):

Chrome/White/Grey
 Orion/Orion/Orion

36 **COMPAGNUCCI**



332C Pantry pull-out unit for narrow cabinets



Full extension runners with soft close system Three-dimensional adjustment of the door	Art.	Н	Baskets	>□<	W
Total load capacity: 30 kg	332C-5	1495	5	150	111
Equipped with three runners on the left side of the cabinet		1880	6	200	161
Installation depth: 480 mm					

720 Girasolo

Corner pull-out shelves





Mechanism equipped with soft-close and soft-open system as standard Total load capacity: 40 kg Maximum load per basket: 20 kg Shelves can be adjusted in height Installation depth: 460 mm (depending on the construction of the cabinet) Installation height (min-max): 620-780 mm Non-reversible product

>□<	w	К*
400	360	760
450	410	860
500	460	960
600	560	960

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

● Chrome/White/Grey ● Orion/Orion/Grey



 $599\mathrm{H}$ Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

• Chrome/White/Grey







Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close as standard Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	w	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

Chrome/White/Grey
 Orion/Orion/Orion



 $597\,$ Double corner mechanism with inner fixed baskets with door brackets



Mechanism with high load capacity runner with soft-close system Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 485 mm Installation height: 615 mm Non-reversible product

>□<	W	K* (min-max)
400	350	760-930
450	400	860-1020
500	450	890-1020
600	550	945-1270

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

• Chrome/White/Grey







Full extension runners with soft close system
Three-dimensional adjustment of the door
Total load capacity: 30 kg
Possibility to have the runners on the left, on the right side or crossed
Installation depth: 480 mm
Installation height: 525 mm

>□<	w
150	107
200	157

Finishes available (baskets/bottom panel):• Chrome/White• Orion/Orion



613 Base pull-out trolley with two baskets



Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Fixing position of the runners on the sides of the cabinet Installation depth: 480 mm Installation height: 506 mm

>□<	W
300	264-268
400	364-368
450	414-418

Finishes available (baskets/bottom panel):

• Chrome/White







Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Fixing position of the runners on the sides of the cabinet Installation depth: 480 mm Installation height: 506 mm

>□<	w
300	264-268
400	364-368
450	414-418

Finishes available (baskets/bottom panel):• Chrome/White• Orion/Orion




482 Pull-out drawer basket



Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

>□<	W
450	414-418
600	564-568
900	864-868

Finishes available (baskets/bottom panel):• Chrome/White• Orion/Orion



COMFORT LINE

The convenience of having the bottom panels in HDF combined with the classic shape of the basket made of round wire. Accessories that meet the most varied needs with solutions suitable for any type of furniture.



Grey/Grey



Chrome/White



Chrome/Grey



Orion/Orion







Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets		>
523	1130-1310	4		1
524	1310-1510	4		3
525	1510-1700	5	_	4
526	1700-1900	5		4
527	1900-2080	6		5

>□<	W
150	107
300	257
400	357
450	407
500	457
600	557

Finishes available (basket/bottom panel/frame):

• Grey/Grey/Grey

Chrome/Grey/Grey

Chrome/White/Grey





Single extension roller runners Total load capacity: 85 kg	Art.	H (min-max)	Baskets	>□<	w
Maximum load per basket: 10 kg (inner), 5 kg (door)	313	1085	4+4	450	405
Installation depth: 495 mm	314	1405	5+5	500	455
Reversible, it can be mounted with doors opening to the right or to the left	316	1725	6+6	600	555
Works with hinges with a maximum opening angle of 115°					

Finishes available (basket/bottom panel/frame):• Grey/Grey/Grey• Chrome/Grey/Grey

Chrome/White/Grey







Single extension roller runners Total load capacity: 85 kg	Art.	Н	Baskets	>□<	W
Maximum load per basket: 10 kg (inner)	304	1405	4	450	405
Installation depth: 495 mm	306	1725	5	500	455
Reversible, it can be mounted with doors opening				600	555
to the right or to the left Works with hinges with a maximum opening angle of 115°					

Finishes available (basket/bottom panel/frame):

• Grey/Grey/Grey

● Chrome/Grey/Grey ● Chr

• Chrome/White/Grey

COMFORT LINE



332C Pantry pull-out unit for narrow cabinets



Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Equipped with three runners on the left side of the cabinet Equipped with bottle holder dividers Installation depth: 480 mm

Art.	Н	Baskets	>□<	w
332C-5	1495	5	150	111
332C-6	1880	6	200	161

Finishes available (basket/bottom panel):

• Grey/Grey

Chrome/Grey

• Chrome/White

720 Girasolo

Corner pull-out shelves





Mechanism equipped with soft-close and soft-open system as standard Total load capacity: 40 kg Maximum load per basket: 20 kg Shelves can be adjusted in height Installation depth: 460 mm (depending on the construction of the cabinet) Installation height (min-max): 620-780 mm Non-reversible product

>□<	W	К*
400	360	760
450	410	860
500	460	960
600	560	960

* K = cabinet internal width

Finishes available (basket/bottom panel/mechanism):

● Chrome/White/Grey ● Orion/Orion/Grey



 $599 \mathrm{H}$ Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system>Internal basket runners with soft-close systemInternal basket runners with soft-close system450Maximum load per basket: 9 kg (inner), 7 kg (outer)450The upper external basket can be adjusted in height500Installation depth: 505 mm600Installation height: 670 mm* k

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

Grey/Grey/Grey

• Chrome/Grey/Grey

• Chrome/White/Grey







Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>0<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

● Grey/Grey/Grey

Chrome/Grey/Grey

• Chrome/White/Grey



 $597\,$ Double corner mechanism with inner fixed baskets with door brackets



Mechanism with high load capacity runner with soft-close system Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 485 mm Installation height: 615 mm Non-reversible product

>□<	w	K* (min-max)
400	350	760-930
450	400	860-1020
500	450	890-1020
600	550	945-1270

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

● Grey/Grey/Grey

• Chrome/Grey/Grey

• Chrome/White/Grey







Mechanism equipped with soft close system Three-dimensional adjustment of the door Maximum load per basket: 15 kg The shelves can be adjusted in height Installation depth: 500 mm Installation height: 515 mm Non-reversible product

>□<	W	К*
450	412	864
500	462	895
600	512	940

* K = cabinet internal width

Finishes available (baskets/bottom panel/mechanism):

• Grey/Grey/Grey

Chrome/Grey/Grey

• Chrome/White/Grey

COMFORT LINE



332/332S Base pull-out for narrow cabinets



Full extension runners with soft close system (332) Single extension runners with soft close system (332S) Three-dimensional adjustment of the door Total load capacity: 30 kg (332), 25 kg (332S) Possibility to have the runners on the left, on the right side or crossed Bottle holder dividers available on demand Wall-cabinet version available on demand

Art.	D	н	>□<	W
332	480	525	150	107
332S	490	520	200	157

Finishes available (baskets/bottom panel):

• Grey/Grey

Chrome/Grey

• Chrome/White







Full extension runners with soft close system (613) Single extension runners with soft close system (613S) Three-dimensional adjustment of the door Total load capacity: 30 kg (613), 25 kg (613S) Fixing position of the runners on the sides of the cabinet Equipped with bottle holder dividers

Art.	D	н
613	480	506
613S	490	506

W
264-268
364-368
414-418
464-468
564-568

Finishes available (baskets/bottom panel):

• Grey/Grey

• Chrome/Grey

• Chrome/White



614/614S Base pull-out trolley with bread bag



Full extension runners with soft close system (614) Single extension runners with soft close system (614S) Three-dimensional adjustment of the door Total load capacity: 30 kg (614), 25 kg (614S) Fixing position of the runners on the sides of the cabinet Equipped with bottle holder dividers

Art.	D	н	>□<	w
614	480	506	300	264-268
614S	490	506	400	364-368
			450	414-418

Finishes available (baskets/bottom panel):

• Grey/Grey

Chrome/Grey

• Chrome/White







Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm Door brackets with three-dimensional adjustments available on demand

>□<	w
450	414-418
600	564-568
900	864-868

Finishes available (baskets/bottom panel):

• Grey/Grey

• Chrome/Grey

• Chrome/White

485







Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm Door brackets with three-dimensional adjustments available on demand

W
764-768
864-868
964-968
1164-1168

Finishes available (baskets/bottom panel):

• Grey/Grey

• Chrome/Grey

• Chrome/White



CLASSIC LINE

Wire baskets that continue to be true classics that overcome the pitfalls of time. A perfect combination of simplicity, quality and practicality. Their transparency, thanks to the wire bottom, makes everyday life in the kitchen easier.



Grey



Orion



Chrome







Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Finishes available (baskets/frame):

• Grey/Grey

• Chrome/Grey

64 **COMPAGNUCCI**®

Art.	H (min-max)	Baskets
523	1130-1310	4
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407
500	457
600	557







Art.	H (min-max)	Baskets	>□<	W
313	1085	4+4	450	405
314	1405	5+5	500	455
316	1725	6+6	600	555
	313 314	313 1085 314 1405	313 1085 4+4 314 1405 5+5	313 1085 4+4 450 314 1405 5+5 500

Works with hinges with a maximum opening angle of 115°

Finishes available (baskets/frame):

• Grey/Grey

● Chrome/Grey







Single extension roller runners Total load capacity: 85 kg	Art.	Н	Baskets	>□<	w
Maximum load per basket: 10 kg (inner)	304	1405	4	450	405
Installation depth: 495 mm	306	1725	5	500	455
Reversible, it can be mounted with doors opening		_		600	555
to the right or to the left Works with hinges with a maximum opening angle of 115°					

Finishes available (baskets/frame):

• Grey/Grey

• Chrome/Grey



 $599\mathrm{H}$ Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/mechanism):

• Grey/Grey

Chrome/Grey





Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

• Chrome/Grey

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

* K = cabinet internal width

Finishes available (baskets/mechanism):

• Grey/Grey



 $597\,$ Double corner mechanism with inner fixed baskets with door brackets



Mechanism with high load capacity runner with soft-close Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 485 mm Installation height: 615 mm Non-reversible product

>□<	w	K* (min-max)
400	350	760-930
450	400	860-1020
500	450	890-1020
600	550	945-1270

* K = cabinet internal width

Finishes available (baskets/mechanism):

• Grey/Grey

Chrome/Grey

Orion/Orion







Shelves in shock-resistant polystyrene Maximum load per shelf: 10 kg The product is connected to the vertical post of the cabinet The shelves can be adjusted in height The lower shelf can be connected to the door Installation height: 130 mm (for each shelf) Left/right reversible product

• Chrome/Grey

Art.	W	К*	D
Ø70	360	710	365
Ø75	410	760	390

* K = cabinet internal width

Finishes available (railing/shelf):

• Grey/Grey



375 ³⁄4 Corner carousel



Shelves in shock-resistant polystyrene Maximum load per shelf: 10 kg The product is connected to the bottom of the cabinet The shelves can be adjusted in height The shelves are equipped with a locking system in the closed position Installation height: 495 mm

Art.	К*
Ø70	760x760
Ø80	860x860

* K = cabinet internal dimensions

Finishes available (railing/shelf):

• Grey/Grey

Chrome/Grey

• Orion/Orion







Full extension runners with soft close system (332) Single extension runners with soft close system (332S)	Art.	D	н	>□<	W
Three-dimensional adjustment of the door	332	480	525	150	107
Total load capacity: 30 kg (332), 25 kg (332S)	332S	490	520	200	157
Possibility to have the runners on the left, on the right side or crossed					
Bottle holder dividers available on demand					
Wall-cabinet version available on demand					

Finishes available (baskets):

• Grey

Chrome

• Orion

CLASSIC LINE



613/613S

Base pull-out trolley with two baskets



Full extension runners with soft close system (613) Single extension runners with soft close system (613S)	Art.	D	н	>	·□<	W
Three-dimensional adjustment of the door	613	480	506	;	300	245
Total load capacity: 30 kg (613), 25 kg (613S)	613S	490	506		400	345
Fixing position of the runners on the bottom of the cabinet Equipped with bottle holder dividers					450	395

Finishes available (baskets):

• Grey







Full extension runners with soft close system (614)
Single extension runners with soft close system (614S)
Three-dimensional adjustment of the door
Total load capacity: 30 kg (614), 25 kg (614S)
Fixing position of the runners on the bottom of the cabinet
Equipped with bottle holder dividers

Art.	D	н	>□<	W
614	480	506	300	245
614S	490	506	400	345
			450	395

Finishes available (baskets):

• Grey • Chrome





Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm Door brackets with three-dimensional adjustments available on demand

>□<	W
450	414-418
600	564-568
900	864-868

Finishes available (baskets):

• Grey







Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm Door brackets with three-dimensional adjustments available on demand

• Chrome

>□<	W
800	764-768
900	864-868
1000	964-968
1200	1164-1168

Finishes available (baskets):

• Grey







Single extension runners Total load capacity: 15 kg Installation width: 270 mm Installation depth: 450 mm Installation height: 450 mm Reversible, it can be mounted on the right or left side of the cabinet

Finishes available (baskets)

• Grey

Chrome



TIRAMIGIÙ

An element that allows what is stored in the wall unit to move down to the worktop for an easy grasp on what is contained therein. It improves the overview and makes it easier and faster access to what is stored in cabinet.







Stable movement with soft-close system as standard Patented locking system on opening Total load capacity: 8 kg Installation height: 485 mm Installation depth: 280 mm

>□<	W
500	464-468
600	564-568
800	764-768
900	864-868

Finishes available (shelves/mechanism): ● Orion/Orion

TIRAMIGIÙ








Stable movement with soft-close system as standard Patented locking system on opening Total load capacity: 8 kg Installation height: 630 mm Installation depth: 280 mm

>□<	W
500	464-468
600	564-568
800	764-768
900	864-868



WASTE BINS

Systems and solutions dedicated to the separate waste collection that allow for optimal, efficient and personalized domestic management thanks to the different storage capacities proposed.

269 H53 High capacity pull-out waste bin





Heavy duty ball bearing runners with soft-close system as standard Three-dimensional adjustment of the door	>□<	300	400	450	500	600
Upper shelf in painted steel available as option	W	264-268	364-368	414-418	464-468	564-568
Lid with filter available as option						
Total load capacity: 60 kg Installation depth: 485 mm Installation height: 570 mm		35	35	35 35	35 35	35 8 35 8
Finishes available (bins/frame): ● Orion/Orion		TOT 35 l	TOT 35 L	TOT 70 L	TOT 70 L	TOT 86 L

WASTE BINS



269 H44 High capacity pull-out waste bin



Heavy duty ball bearing runners with soft-close system as standard Three-dimensional adjustment of the door Upper shelf in painted steel available as option Lid with filter available as option Total load capacity: 60 kg Installation depth: 485 mm Installation height: 470 mm

Finishes available (bins/frame):

• Orion/Orion

>□<	300	400	450	500	600
W	264-268	364-368	414-418	464-468	564-568
	8 24	24	24 24	24	24 12 24 12
	TOT 32 L	TOT 48 L	TOT 48 L	TOT 48 L	TOT 72 L







Full extension runners with soft-close system Total load capacity: 30 kg Fixing position of the runners on the bottom of the cabinet Bins configuration: 2 x 18 litres (total 36 litres) Installation width: 335 mm Installation depth: 490 mm Installation height: 412 mm

Finishes available (bins/frame):

● Grey/Grey ● Grey/Chrome

WASTE BINS







Single extension runners with soft-close system Total load capacity: 25 kg Fixing position of the runners on the bottom of the cabinet Bins configuration: 1 x 18 + 2 x 8 litres (total 34 litres) Installation width: 385 mm Installation depth: 495 mm Installation height: 340 mm

Finishes available (bins/frame):

• Grey/Grey



Single extension runners with soft-close system Total load capacity: 25 kg The lid opens automatically when pulling out the bin Fixing position of the runners on the bottom of the cabinet Bins configuration: 2 x 18 litres (total 36 litres) Installation width: 330 mm Installation depth: 485 mm Installation height: 425 mm

Finishes available (bins/frame):

• Grey/Grey







Bin configuration: 1 x 10 litres The lid opens automatically when opening the door Installation width: 250 mm Installation depth: 250 mm Installation height: 370 mm

Finishes available (bin):



DISH DRAINERS

Designed to put the dishes in their place, they help to keep them tidy and always at hand. The practical drip tray avoids dripping water down, keeping the furniture dry.







Complete kit of rack for dishes, rack for glasses and drip tray Made of AISI 201 stainless steel for better corrosion resistance Fixing to the cabinet through 10 mm spring dowels Installation depth: 245 mm Installation height: rack for dishes 105 mm; rack for glasses 50 mm

-420
-420
-570
-770
-870

Double dish drainer wire racks

51







Includes one rack for dishes and one rack for glasses To be combined with frames and brackets	>□<	W (min-max)
To be completed with the drip tray (article 61)	450	414-418
Installation depth: 232 mm Installation height: rack for dishes 57 mm; rack for glasses 30 mm	600	564-568
	800	764-768
	900	864-868

Finishes available (racks):

• Grey

Coated Nichel

Chrome

***** COMPAGNUCCI**° 93





Multipurpose rack for low furniture To be combined with frames and brackets To be completed with the drip tray (article 61) Installation depth: 232 mm Installation height: 205 mm

>□<	W (min-max)
450	414-418
600	564-568
800	764-768
900	864-868

Finishes available (racks):

• Grey

Coated Nichel

• Chrome


67 Drip tray for dish drainers





Made of shock-resistant semitransparent polystyrene To be combined with frames and brackets To be completed with racks (articles 51 and 52) Installation depth: 215 mm

>□<	W (min-max)
450	390-394
600	540-544
800	740-744
900	840-844






To be completed with racks (articles 51 and52) and drip tray (article 61) Installation depth (min-max): 280-420 mm Installation height: 62 mm (frame only) On request also available with fixed depth (article 59)

>□<	W
450	414
600	564
800	764
900	864

Finishes available:

• Grey





Finishes available:

• Grey



Compagnucci High Tech s.r.l.

società a socio unico

Via Scarpara Alta, 57 60030 S.Maria Nuova (AN) Italy Tel. + 39 0731 245999 Fax +39 0731 082201 info@compagnucci.it

www.compagnucci.it

© Compagnucci High Tech s.r.l. 2021. May 2021.

The data contained in the catalog can include technical inaccuracies or typographical errors and could be changed by the company. Compagnucci High Tech s.r.l. reserves the right to make changes to its products, without notice. The reproduction of this catalog and products present in it is prohibited.

