

### PRODUCT CATALOGUE

A Company of the Group





### WE DESIGN, WE PRODUCE, WE INNOVATE

A Company of the Group





Specialist wire processor and manufacturer of hightech accessories for furniture sold through different channels such as industry, distribution and DIY. Compagnucci is a well-established player whose output reflects a strong commitment to investment in research, design and development. Farsighted strategies, rewarded with fifty years of unique achievements and a prestige position on the international market, underlie an offering full of original, patented features, at the state of the art in quality and environmental certifications, and all in unmistakable Italian style.

The furniture sector and DIY, in strong and continuous expansion, are the divisions in which Compagnucci is the protagonist.





# Great Numbers Great Value

FGV is the leading Italian manufacturer of furniture hardware and components. Since 1947 the company develops, produces and sells worldwide clever solutions for the furniture and kitchen industry at the right price. Over the years MADE IN FGV has become synonymous of Italian design combined with mass volume economies of scale. True to its slogan "Great Numbers, Great Value", FGV offers to the market the right products in the right quality at the right price. With 7 production plants in Italy, Slovakia, Brazil and China working with the same quality standards, FGV has the tools to propose affordable solutions with the

latest technologies. Using state-of-the-art and cost efficient technology, FGV delivers a product portfolio which covers the needs of the industry. The FGV sales network of own subsidiaries is completed by a very performing net of strategic distributors to deliver modern furniture technology in every part of the world. Investing constantly in Customer service and new logistics solutions, FGV aim to help the furniture and kitchen industry to deliver an improved experience to the end-consumer when these buying and using furniture or kitchen cabinets.



### Index





6

**TECHNICAL SOLUTIONS** 

16

**POLI-CRYSTAL LINE** 





24

**POLI-OAK LINE** 

32

**MONO LINE** 







PREMIUM LINE

60

COMFORT LINE

78

**CLASSIC LINE** 







94


TIRAMIGIÙ

98

**WASTE BINS** 

106

DISH DRAINERS




# **TECHNICAL SOLUTIONS**




# 520/520P


#### Pull-out pantry


All the pull-out units are equipped with full extension runners with soft-close system. The runner of the 520P model features a rack-and-pinion synchronization combined with the soft-open system.



Three-dimensional adjustment of the door 520/520P













### 310/300

Swing-out larder

Double swing-out larder 310

Single swing-out larder 300







In the double swing-out larder the baskets on the door allow an easy reach of the content



In the single swing-out larder the baskets come out of the cabinet on opening of the door allowing an even easier access



The shelves can be fixed at different heights to optimize the space



Silent opening and closing movement

# 720 Girasolo

#### Corner pull-out shelves

Shelves motion on opening










Easy installation with only 8 screws





Adjustable height of the pole



Height adjustable baskets




Soft-opening and closing system

# 740 Reverso


The reversible solution for corner cabinets

Same product can be fitted on RH and LH cabinets












Product opening sequence











# 599H/599/597

Corner mechanism

Mechanism motion on opening 599H/599












Three-dimensional adjustment of the door 599/597









Mechanism with door brackets 599/597







### 700 Twister

#### Shelves on curved runners for corner cabinets with door brackets

#### Shelves motion on opening











Fixing by brackets, three dimensional adjustement of the door

Mechanism for hinged doors





# 332/332P/332C

#### A complete product family for application on narrow cabinets

All products are equipped with three-dimensional adjustment of the door



Base cabinet



Wall cabinet



Tall cabinet

### 613/614

#### Base pull-out trolley with two shelves

All products are equipped with three-dimensional adjustment of the door



Fixing position of the runners on the bottom of the cabinet



Fixing position of the runners on the side of the cabinet



Application with bread bag with fixing position of the runners on the side of the cabinet

Pull-out drawer basket

Pull-out drawer basket with slides fixed on the sides of the cabinets for hinged doors






Door brackets with three-dimensional adjustments available on demand





485 Pull-out drawer basket for undersink cabinet







### **POLI-CRYSTAL LINE**

The essentiality of glass combined with painted steel. The will to mix these two elements to combine elegance with pureness. A perfect blend suitable for kitchens that want to extend their style also through internal accessories.



# 520/520P

#### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg

Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407

#### Finishes available (baskets/side profiles/frame):

White/Glass/White

Grey/Glass/Grey

Orion/Glass/Orion



### 599H

#### Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

w	K* (min-max)
405	860-1020
450	860-1020
550	945-1250
	405

<sup>\*</sup> K = cabinet internal width

#### Finishes available (baskets/side profiles/mechanism):

White/Glass/White

Grey/Glass/Grey

Orion/Glass/Orion

#### Double corner mechanism with inner pull-out baskets with door brackets





Mechanism with high load capacity runner with soft-close system

Internal basket runners with soft-close system

Three-dimensional adjustment of the door

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height

Installation depth: 505 mm Installation height: 670 mm

Non-reversible product

Finishes available	(baskets/side	profiles/mechanism):
--------------------	---------------	----------------------

White/Glass/White

Grey/Glass/Grey

• Orion/Glass/Orion

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width



#### Base pull-out with side frame



Full extension runners with soft-close system as standard

Three-dimensional adjustment of the door

Total load capacity: 20 kg

Maximum load per basket: 10 kg

Reversible, it can be mounted on the right or left side of the cabinet

Installation depth: 489 mm Installation height: 636 mm

>□<	W
150	111
200	155
300	255

#### Finishes available (baskets/side profiles/frame):

- White/Glass/White
- Grey/Glass/Grey
- Orion/Glass/Orion

#### Base pull-out with central frame





Full extension runners with soft-close system as standard

Three-dimensional adjustment of the door

Total load capacity: 30 kg Maximum load per basket: 10 kg


Fixing position of the runners on the cabinet sides

Installation depth: 497 mm Installation height: 593 mm

>□<	w
300	264-268
400	364-368
450	414-418

#### Finishes available (baskets/side profiles/frame):

- White/Glass/White
- Grey/Glass/Grey
- Orion/Glass/Orion










### **POLI-OAK LINE**

The charm of wood combined with painted steel. The perfect combination suitable for any kitchen, from the most classic to the most modern one. The interior accessories give the kitchen a style that mixes the warmth of wood with the modernity of metal.



# 520/520P

#### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407

#### Finishes available (baskets/side profiles/frame):

● Orion/Wood/Orion



### 599H

#### Double corner mechanism with inner pull-out baskets for hinged doors



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

<sup>\*</sup> K = cabinet internal width

#### Finishes available (baskets/side profiles/mechanism):

Orion/Wood/Orion

#### Double corner mechanism with inner pull-out baskets with door brackets





Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system
Three-dimensional adjustment of the door
Maximum load per basket: 9 kg (inner), 7 kg (outer)
The upper external basket can be adjusted in height
Installation depth: 505 mm
Installation height: 670 mm

Finishes available (baskets/side profiles/mechanism):

Orion/Wood/Orion

Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width



#### Base pull-out with side frame



Full extension runners with soft-close system as standard

Three-dimensional adjustment of the door

Total load capacity: 20 kg

Maximum load per basket: 10 kg

Reversible, it can be mounted on the right or left side of the cabinet

Installation depth: 489 mm Installation height: 636 mm

>□<	w
150	111
200	155
300	255

#### Finishes available (baskets/side profiles/frame):

Orion/Wood/Orion

#### Base pull-out with central frame





Full extension runners with soft-close system as standard

Three-dimensional adjustment of the door

Total load capacity: 30 kg

Maximum load per basket: 10 kg

Fixing position of the runners on the cabinet sides

Installation depth: 497 mm Installation height: 593 mm

>=<	W
300	264-268
400	364-368
450	414-418

#### Finishes available (baskets/side profiles/frame):


● Orion/Wood/Orion











# **MONO LINE**

The new aesthetics with their essential and elegant lines, made of painted steel sheet which combined with the existing structures give harmony to the product, making it an accurate fit for even the most modern kitchens.



# 520/520P

#### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg

Maximum load per basket: 10 kg

Installation depth: 494 mm (504 mm for 520P)

Antislip mat available on demand

Art.	H (min-max)	Baskets
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407

#### Finishes available (baskets/frame):

Orion/Orion



Double swing-out larder



Single extension roller runners

Total load capacity: 85 kg

Maximum load per basket: 10 kg (inner), 5 kg (door)

Installation depth: 495 mm

Reversible, it can be mounted with doors opening

to the right or to the left

Works with hinges with a maximum opening angle of 115°  $\,$ 

Antislip mat available on demand

#### Finishes available (baskets/frame):

Orion/Orion

Art.	Н	Baskets
313	1265	4+4
314	1405	5+5
316	1695	6+6

>□<	w
450	405
500	455
600	555

### Single swing-out larder





Single extension roller runners
Total load capacity: 85 kg
Maximum load per basket: 10 kg (inner)
Installation depth: 495 mm
Reversible, it can be mounted with doors opening
to the right or to the left
Works with hinges with a maximum opening angle of 115°
Antislip mat available on demand

Art.	Н	Baskets
306	1695	5

>□<	W
450	405
500	455
600	555

### Finishes available (baskets/frame):



# 720 Girasolo

**Corner pull-out shelves** 



Mechanism equipped with soft-close system as standard

Total load capacity: 40 kg

Maximum load per basket: 20 kg

Shelves can be adjusted in height

Installation depth: 460 mm (depending on the construction of the cabinet)

Installation height (min-max): 620-780 mm

Non-reversible product

Antislip mat available on demand

<u></u>	W	K*
400	360	760
450	410	860
500	460	960
600	560	960

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

### 740 Reverso

The reversible solution for corner cabinet





Easy installation in few steps

No adjustment of the front as is combined with hinged doors Indipendent internal baskets movement for better access on full extension synchronized runners with soft-close system Maximum load per basket: 11 Kg (inner), 7 kg (outer) Installation depth: 500 mm | Installation height: 575 mm Reversible, it can be mounted with doors opening to the right or to the left Antislip mat available on demand

>□<	w	K* (min-max)
400	340	725
450	385	755
500	420	795
600	535	945

\* K = cabinet internal width

### Finishes available (baskets/mechanism):





### Double corner mechanism with inner fixed baskets with door brackets



Mechanism with high load capacity runner with soft-close system Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 485 mm | Installation height: 615 mm Non-reversible product Antislip mat available on demand

>□<	W	K* (min-max)
400	350	760-930
450	400	860-1020
500	450	890-1020
600	550	945-1270

\* K = cabinet internal width

### Finishes available (baskets/mechanism):

### Base pull-out for narrow cabinets





Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg

Possibility to have the runners on the left, on the right side or crossed Antislip mat available on demand

332-2 480 52	5

>□<	w
150	107
200	157

### Finishes available (baskets):

Orion



420 Base pull-out with central frame



Full extension runners with soft-close system as standard

Three-dimensional adjustment of the door

Total load capacity: 30 kg Maximum load per basket: 10 kg

Fixing position of the runners on the cabinet sides

Installation depth: 497 mm Installation height: 593 mm Antislip mat available on demand

Finishes available	(baskets/mechanism):
--------------------	----------------------

>□<	W
300	264-268
400	364-368

### Pull-out drawer basket





Full extension runners with soft close system Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm Antislip mat available on demand

>0<	W
450	414-418
600	564-568
900	864-868

### Finishes available (baskets):

Orion









## **PREMIUM LINE**

The reinterpretation of current aesthetics in a more modern key. The classic round wire becomes flat, giving the accessories a more elegant look. The bottom panel in HDF allows full advantage of the entire support surface of the baskets.



Chrome/White



Orion/Orion

# 520/520P

### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407
500	457
600	557

### Finishes available (baskets/bottom panel/frame):

• Chrome/White/Grey



### Double swing-out larder



Single extension roller runners Total load capacity: 85 kg Maximum load per basket: 10 kg (inner), 5 kg (door) Installation depth: 495 mm Reversible, it can be mounted with doors opening to the right or to the left Works with hinges with a maximum opening angle of 115°  $\,$ 

Art.	Н	Baskets
313	1265	4+4
314	1405	5+5
316	1695	6+6

>□<	W
450	405
500	455
600	555

### Finishes available (baskets/bottom panel/frame):

• Chrome/White/Grey

### Single swing-out larder





Single extension roller runners Total load capacity: 85 kg Maximum load per basket: 10 kg (inner) Installation depth: 495 mm Reversible, it can be mounted with doors opening to the right or to the left Works with hinges with a maximum opening angle of 115°  $\,$ 

Art.	Н	Baskets
306	1695	5

>□<	W
450	405
500	455
600	555

### Finishes available (baskets/bottom panel/frame):

• Chrome/White/Grey



332C

### Pantry pull-out unit for narrow cabinets



Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Equipped with three runners on the left side of the cabinet Installation depth: 480 mm

Art.	Н	Baskets
332C-5	1536	5
332C-6	1888	6

>□<	W
150	111
200	161

### Finishes available (baskets/bottom panel/frame):

• Chrome/White/Grey

# 720 Girasolo

### **Corner pull-out shelves**





Mechanism equipped with soft-close and soft-open system as standard Total load capacity: 40 kg

Maximum load per basket: 20 kg

Shelves can be adjusted in height

Installation depth: 460 mm (depending on the construction of the cabinet)

Installation height (min-max): 620-780 mm

Non-reversible product

>□<	W	<b>K</b> *
400	360	760
450	410	860
500	460	960
600	560	960

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

• Chrome/White/Grey

Orion/Orion/Grey



### 740 Reverso

The reversible solution for corner cabinet



Easy installation in few steps

No adjustment of the front as is combined with hinged doors Indipendent internal baskets movement for better access on full extension synchronized runners with soft-close system Maximum load per basket: 11 Kg (inner), 7 kg (outer) Installation depth: 500 mm

Installation height: 575 mm

Reversible, it can be mounted with doors opening to the right or to the left

### Finishes available (baskets/bottom panel/mechanism):

Chrome/White/Grey

Orion/Orion/Orion

>□<	w	K* (min-max)
400	340	725
450	385	755
500	420	795
600	535	945

\* K = cabinet internal width

### 599H

### Double corner mechanism with inner pull-out baskets for hinged doors





Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

Chrome/White/Grey



### Double corner mechanism with inner pull-out baskets with door brackets



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close as standard Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm

Installation height: 670 mm Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

Chrome/White/Grey

### Double corner mechanism with inner fixed baskets with door brackets





Mechanism with high load capacity runner with soft-close system

Three-dimensional adjustment of the door

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height

Installation depth: 485 mm Installation height: 615 mm Non-reversible product

Finishes available (baskets/bottom panel/mechanism):

Chrome/White/Grey

350	760-930
400	860-1020
450	890-1020
550	945-1270
	400 450 550



### Base pull-out for narrow cabinets



Full extension runners with soft close system

Three-dimensional adjustment of the door

Total load capacity: 30 kg

Possibility to have the runners on the left, on the right side or crossed Bottle holder dividers available on demand

Art.	P	Н
332-2	480	525
332-3	480	910

>□<	W
150	107
200	157

### Finishes available (baskets/bottom panel):

• Chrome/White

### Base pull-out trolley with two baskets





Full extension runners with soft close system Three-dimensional adjustment of the door

Total load capacity: 30 kg

Fixing position of the runners on the sides of the cabinet

Installation depth: 490 mm Installation height: 500 mm

Bottle holder dividers available on demand

>□<	w
300	264-268
400	364-368
450	414-418

### Finishes available (baskets/bottom panel):

• Chrome/White



### Base pull-out trolley with bread bag



Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Fixing position of the runners on the sides of the cabinet Installation depth: 490 mm

>□<	W
300	264-268
400	364-368
450	414-418

### Finishes available (baskets/bottom panel):

• Chrome/White

Installation height: 500 mm

### Pull-out drawer basket






Full extension runners with soft close system

Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

>□<	W
450	414-418
600	564-568
900	864-868


### Finishes available (baskets/bottom panel):

• Chrome/White









# **COMFORT LINE**

The convenience of having the bottom panels in HDF combined with the classic shape of the basket made of round wire. Accessories that meet the most varied needs with solutions suitable for any type of furniture.



Grey/Grey



Chrome/Grey



Chrome/White



Orion/Orion

# 520/520P

### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg

			_		
nstallation	depth:	494 mm	(504 m	m for 5	520P)

H (min-max)	Baskets
1310-1510	4
1510-1700	5
1700-1900	5
1900-2080	6
	1310-1510 1510-1700 1700-1900

>□<	W
150	107
300	257
400	357
450	407
500	457
600	557

### Finishes available (basket/bottom panel/frame):

● Grey/Grey/Grey

● Chrome/Grey/Grey

• Chrome/White/Grey



### Double swing-out larder



Single extension roller runners Total load capacity: 85 kg Maximum load per basket: 10 kg (inner), 5 kg (door) Installation depth: 495 mm Reversible, it can be mounted with doors opening to the right or to the left Works with hinges with a maximum opening angle of 115°  $\,$ 

Art.	H (min-max)	Baskets
313	1265	4+4
314	1405	5+5
316	1695	6+6

>□<	W
450	405
500	455
600	555

### Finishes available (basket/bottom panel/frame):

● Grey/Grey/Grey

● Chrome/Grey/Grey

Chrome/White/Grey

### Single swing-out larder





Single extension roller runners
Total load capacity: 85 kg
Maximum load per basket: 10 kg (inner)
Installation depth: 495 mm
Reversible, it can be mounted with doors opening
to the right or to the left
Works with hinges with a maximum opening angle of 115°

Art.	Н	Baskets
306	1695	5

>□<	W
450	405
500	455
600	555

### Finishes available (basket/bottom panel/frame):

- Grey/Grey/Grey
- Chrome/Grey/Grey
- Chrome/White/Grey
- Orion/Orion/Orion



332C

### Pantry pull-out unit for narrow cabinets



Full extension runners with soft close system Three-dimensional adjustment of the door Total load capacity: 30 kg Equipped with three runners on the left side of the cabinet Equipped with bottle holder dividers Installation depth: 480 mm

Art.	Н	Baskets		
332C-5	1536	5		
332C-6	1888	6		

>□<	W
150	111
200	161

### Finishes available (basket/bottom panel):

● Grey/Grey

Chrome/Grey

• Chrome/White

# 720 Girasolo

### Corner pull-out shelves





Mechanism equipped with soft-close and soft-open system as standard Total load capacity: 40 kg

Maximum load per basket: 20 kg

Shelves can be adjusted in height

Installation depth: 460 mm (depending on the construction of the cabinet)

Installation height (min-max): 620-780 mm

Non-reversible product

>□<	W	<b>K</b> *
400	360	760
450	410	860
500	460	960
600	560	960

\* K = cabinet internal width

### Finishes available (basket/bottom panel/mechanism):

• Chrome/White/Grey

Orion/Orion/Grey



### 740 Reverso

The reversible solution for corner cabinets



Easy installation in few steps

No adjustment of the front as is combined with hinged doors Indipendent internal baskets movement for better access on full extension synchronized runners with soft-close system Maximum load per basket: 11 Kg (inner), 7 kg (outer)

Installation depth: 500 mm Installation height: 575 mm

Reversible, it can be mounted with doors opening to the right or to the left

### Finishes available (basket/bottom panel/mechanism):

Grey/Grey/Grey

Chrome/Grey/Grey

Chrome/White/Grey

>□<	w	K* (min-max)
400	340	725
450	385	755
500	420	795
600	535	945

\* K = cabinet internal width

## 599H

### Double corner mechanism with inner pull-out baskets for hinged doors





Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height Installation depth: 505 mm

Installation height: 670 mm

Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

- Grey/Grey/Grey
- Chrome/Grey/Grey
- Chrome/White/Grey
- Orion/Orion/Orion





#### Double corner mechanism with inner pull-out baskets with door brackets



Mechanism with high load capacity runner with soft-close system

Internal basket runners with soft-close

Three-dimensional adjustment of the door

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height

Installation depth: 505 mm Installation height: 670 mm

Non-reversible product

>□<	w	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

- Grey/Grey/Grey
- Chrome/Grey/Grey
- Chrome/White/Grey
- Orion/Orion/Orion

### Double corner mechanism with inner fixed baskets with door brackets





Mechanism with high load capacity runner with soft-close system

Three-dimensional adjustment of the door

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height

Installation depth: 485 mm Installation height: 615 mm

Non-reversible product

FII	nisne	s ava	illable (	(basket	S/D	ottom	pane	:I/ME	cnan	ism):
_										

Grey/Grey/Grey Chrome/Grey/Grey Chrome/White/Grey

\* K = cabinet internal width

W

350

400

450

550

K\* (min-max)

760-930

860-1020

890-1020

945-1270

> <

400

450

500

600



# 700 Twister

Shelves on curved runners for corner cabinets with door brackets



Mechanism equipped with soft close system Three-dimensional adjustment of the door Maximum load per basket: 15 kg The shelves can be adjusted in height Installation depth: 500 mm Installation height: 515 mm Non-reversible product

>□<	W	<b>K</b> *
450	412	870
500	462	895
600	512	945

\* K = cabinet internal width

### Finishes available (baskets/bottom panel/mechanism):

Grey/Grey/Grey

● Chrome/Grey/Grey

Chrome/White/Grey

### 332/332S

#### Base pull-out for narrow cabinets





Full extension runners with soft close system (332) Single extension runners with soft close system (332S) Three-dimensional adjustment of the door Total load capacity: 30 kg (332), 25 kg (332S) Possibility to have the runners on the left, on the right side or crossed Bottle holder dividers available on demand Wall-cabinet version available on demand

Art.	D	Н
332-2	480	525
332S-2	490	520
332-3	480	910
332S-3	490	910

>□<	W
150	107
200	157

#### Finishes available (baskets/bottom panel):

Grey/Grey

Chrome/Grey

Chrome/White



### 613/613S

Base pull-out trolley with two baskets



Full extension runners with soft close system (613) Single extension runners with soft close system (613S) Three-dimensional adjustment of the door Total load capacity: 30 kg (613), 25 kg (613S) Fixing position of the runners on the sides of the cabinet Equipped with bottle holder dividers

Art.	D	Н
613	490	500
613S	490	500

>□<	w
300	264-268
400	364-368
450	414-418

#### Finishes available (baskets/bottom panel):

Grey/Grey

Chrome/Grey

Chrome/White

### 614/614S

#### Base pull-out trolley with bread bag





Full extension runners with soft close system (614) Single extension runners with soft close system (614S) Three-dimensional adjustment of the door Total load capacity: 30 kg (614), 25 kg (614S) Fixing position of the runners on the sides of the cabinet Equipped with bottle holder dividers

Art.	D	Н
614	490	500
614S	490	500

>□<	w
300	264-268
400	364-368
450	414-418

#### Finishes available (baskets/bottom panel):

Grey/Grey

Chrome/Grey



Pull-out drawer basket



Full extension runners with soft close system

Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

Door brackets with three-dimensional adjustments available on demand

W
414-418
564-568
864-868

#### Finishes available (baskets/bottom panel):

● Grey/Grey

● Chrome/Grey

• Chrome/White

#### Pull-out drawer basket for undersink cabinet





Full extension runners with soft close system

Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

Door brackets with three-dimensional adjustments available on demand

>□<	W
800	764-768
900	864-868
1000	964-968
1200	1164-1168

#### Finishes available (baskets/bottom panel):

● Grey/Grey

Chrome/Grey









### **CLASSIC LINE**

Wire baskets that continue to be true classics that overcome the pitfalls of time. A perfect combination of simplicity, quality and practicality. Their transparency, thanks to the wire bottom, makes everyday life in the kitchen easier.



Grey



Chrome



Orion

# 520/520P

#### Pull-out pantry





Full extension roller runners with soft close system Soft open system available (article 520P) on demand Three-dimensional adjustment of the door Total load capacity: 120 kg Maximum load per basket: 10 kg Installation depth: 494 mm (504 mm for 520P)

Art.	H (min-max)	Baskets
524	1310-1510	4
525	1510-1700	5
526	1700-1900	5
527	1900-2080	6

>□<	W
150	107
300	257
400	357
450	407
500	457
600	557

#### Finishes available (baskets/frame):

● Grey/Grey

Chrome/Grey



#### Double swing-out larder



Single extension roller runners Total load capacity: 85 kg Maximum load per basket: 10 kg (inner), 5 kg (door) Installation depth: 495 mm Reversible, it can be mounted with doors opening to the right or to the left Works with hinges with a maximum opening angle of 115°  $\,$ 

Art.	H (min-max)	Baskets
313	1265	4+4
314	1405	5+5
316	1695	6+6

>□<	W
450	405
500	455
600	555

#### Finishes available (baskets/frame):

● Grey/Grey

• Chrome/Grey

#### Single swing-out larder





Single extension roller runners Total load capacity: 85 kg Maximum load per basket: 10 kg (inner) Installation depth: 495 mm Reversible, it can be mounted with doors opening to the right or to the left Works with hinges with a maximum opening angle of 115°  $\,$ 

Art.	Н	Baskets
306	1695	5

>□<	W
450	405
500	455
600	555

#### Finishes available (baskets/frame):


● Grey/Grey

Chrome/Grey



### 740 Reverso

The reversible solution for corner cabinets



Easy installation in few steps

No adjustment of the front as is combined with hinged doors Indipendent internal baskets movement for better access on full extension synchronized runners with soft-close system Maximum load per basket: 11 Kg (inner), 7 kg (outer) Installation depth: 500 mm Installation height: 575 mm

Reversible, it can be mounted with doors opening to the right or to the left

#### Finishes available (basket/mechanism):

Grey/Grey

Chrome/Grey

Orion/Orion

>□<	W	K* (min-max)
400	340	725
450	385	755
500	420	795
600	535	945

\* K = cabinet internal width







Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close system

Maximum load per basket: 9 kg (inner), 7 kg (outer)

The upper external basket can be adjusted in height Installation depth: 505 mm

Installation height: 670 mm

Non-reversible product

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

#### Finishes available (baskets/mechanism):

Grey/Grey

Chrome/Grey





#### Double corner mechanism with inner pull-out baskets with door brackets



Mechanism with high load capacity runner with soft-close system Internal basket runners with soft-close Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 505 mm

Installation height: 670 mm Non-reversible product

Grey/Grey

• Chrome/Grey

•	Orion/Orion	

>□<	W	K* (min-max)
450	405	860-1020
500	450	860-1020
600	550	945-1250

\* K = cabinet internal width

#### Double corner mechanism with inner fixed baskets with door brackets





Mechanism with high load capacity runner with soft-close Three-dimensional adjustment of the door Maximum load per basket: 9 kg (inner), 7 kg (outer) The upper external basket can be adjusted in height Installation depth: 485 mm Installation height: 615 mm Non-reversible product

>⊔<	W	K* (min-max)
400	350	760-930
450	400	860-1020
500	450	890-1020
600	550	945-1270

\* K = cabinet internal width

#### Finishes available (baskets/mechanism):

Grey/Grey

● Chrome/Grey



Half-moon carousels



Shelves in shock-resistant polystyrene

Maximum load per shelf: 10 kg

The product is connected to the vertical post of the cabinet

The shelves can be adjusted in height

The lower shelf can be connected to the door Installation height: 130 mm (for each shelf)

Left/right reversible product

Art.	W	<b>K</b> *	D
Ø75	410	760	390

\* K = cabinet internal width

#### Finishes available (railing/shelf):

● Grey/Grey

• Chrome/Grey

#### 3/4 Corner carousel





Shelves in shock-resistant polystyrene

Maximum load per shelf: 10 kg

The product is connected to the bottom of the cabinet

The shelves can be adjusted in height

The shelves are equipped with a locking system in the closed position Installation height: 495 mm

Art.	<b>K</b> *
Ø80	860x860

\* K = cabinet internal dimensions

#### Finishes available (railing/shelf):

● Grey/Grey

● Chrome/Grey



### 332/332S

Base pull-out for narrow cabinets



Full extension runners with soft close system (332) Single extension runners with soft close system (332S) Three-dimensional adjustment of the door Total load capacity: 30 kg (332), 25 kg (332S) Possibility to have the runners on the left, on the right side or crossed Bottle holder dividers available on demand Wall-cabinet version available on demand

	Art.	D	н
3	32-2	480	525
33	32S-2	490	520
3	32-3	480	910
33	32S-3	490	910

>□<	W
150	107
200	157

#### Finishes available (baskets):

Grey

### 613/613S

#### Base pull-out trolley with two baskets





Full extension runners with soft close system (613) Single extension runners with soft close system (613S) Three-dimensional adjustment of the door Total load capacity: 30 kg (613), 25 kg (613S) Fixing position of the runners on the bottom of the cabinet Equipped with bottle holder dividers

Art.	D	Н
613	490	500
613S	490	500

>□<	w
300	245
400	345
450	395

#### Finishes available (baskets):





### 614/614S

#### Base pull-out trolley with bread bag



Full extension runners with soft close system (614) Single extension runners with soft close system (614S) Three-dimensional adjustment of the door Total load capacity: 30 kg (614), 25 kg (614S) Fixing position of the runners on the bottom of the cabinet Equipped with bottle holder dividers

Α	rt.	D	Н
6	14	490	500
61	4S	490	500

>□<	w
300	245
400	345
450	395

#### Finishes available (baskets):

Grey

#### Pull-out drawer basket





Full extension runners with soft close system

Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

Door brackets with three-dimensional adjustments available on demand

>□<	w
450	414-418
600	564-568
900	864-868

#### Finishes available (baskets):







#### Pull-out drawer basket for undersink cabinet



Full extension runners with soft close system

Total load capacity: 30 kg Installation depth: 490 mm Installation height: 120 mm

Door brackets with three-dimensional adjustments available on demand

>□<	W
800	764-768
900	864-868
1000	964-968
1200	1164-1168

#### Finishes available (baskets):

Grey



# **TIRAMIGIÙ**

An element that allows what is stored in the wall unit to move down to the worktop for an easy grasp on what is contained therein. It improves the overview and makes it easier and faster access to what is stored in cabinet.

## 826-1

#### Wall pull-down mechanism with one shelf





Stable movement with soft-close system as standard Patented locking system on opening Total load capacity: 8 kg Installation height: 485 mm Installation depth: 280 mm

>□<	W
500	464-468
600	564-568
800	764-768
900	864-868

#### Finishes available (shelves/mechanism):



826-2

#### Wall pull-down mechanism with two shelves



Stable movement with soft-close system as standard Patented locking system on opening Total load capacity: 8 kg Installation height: 630 mm Installation depth: 280 mm

W
464-468
564-568
764-768
864-868

#### Finishes available (shelves/mechanism):



### **WASTE BINS**

Systems and solutions dedicated to the separate waste collection that allow for optimal, efficient and personalized domestic management thanks to the different storage capacities proposed.

#### High capacity pull-out waste bin





Full extension runners with soft close system Three-dimensional adjustment of the door Upper shelf in painted steel available as option Lid with filter available as option Total load capacity: 35 kg Installation depth: 500 mm Installation height: 550 mm

### Finishes available (bins/frame):

>□<	500	600
W	464-468	564-568
	35 35	35 35
	TOT <b>70 L</b>	ТОТ <b>70 L</b>



High capacity pull-out waste bin



Full extension runners with soft close system Three-dimensional adjustment of the door Upper shelf in painted steel available as option Lid with filter available as option Total load capacity: 35 kg Installation depth: 500 mm Installation height: 460 mm

### Finishes available (bins/frame):

>□<	400	450	500	600
W	364-368	414-418	464-468	564-568
	24	24	12 24 12	24 8
	TOT	TOT	TOT	TOT
	48 L	48 L	48 L	64 L

#### High capacity pull-out waste bin





Full extension runners with soft close system Three-dimensional adjustment of the door Upper shelf in painted steel available as option Lid with filter available as option Total load capacity: 35 kg Installation depth: 500 mm Installation height: 360 mm

#### Finishes available (bins/frame):

>□<	400	450	500	600
W	364-368	414-418	464-468	564-568
	18	18	12 18 12	18 8
	ТОТ <b>36 L</b>	ТОТ <b>36 L</b>	TOT <b>42 L</b>	TOT <b>52 L</b>



#### Free-standing double bin waste unit with metal cover



Full extension runners with soft-close system

Total load capacity: 30 kg

Fixing position of the runners on the bottom of the cabinet

Bins configuration: 2 x 18 litres (total 36 litres)

Installation width: 335 mm Installation depth: 490 mm Installation height: 412 mm

#### Finishes available (bins/frame):

● Grey/Grey

Grey/Chrome

#### Free-standing double bin waste unit with plastic cover





Single extension runners with soft-close system

Total load capacity: 25 kg

The lid opens automatically when pulling out the bin Fixing position of the runners on the bottom of the cabinet

Bins configuration: 2 x 18 litres (total 36 litres)

Installation width: 330 mm Installation depth: 485 mm Installation height: 425 mm

#### Finishes available (bins/frame):

● Grey/Grey



#### Wastebin for door installation



Bin configuration: 1 x 10 litres


The lid opens automatically when opening the door

Installation width: 250 mm Installation depth: 250 mm Installation height: 370 mm

### Finishes available (bin):

● Grey





### **DISH DRAINERS**

Designed to put the dishes in their place, they help to keep them tidy and always at hand. The practical drip tray avoids dripping water down, keeping the furniture dry.

#### Dish drainer in stainless steel






Complete kit of rack for dishes, rack for glasses and drip tray Made of AISI 201 stainless steel for better corrosion resistance Fixing to the cabinet through 10 mm spring dowels Installation depth: 245 mm Installation height: rack for dishes 105 mm; rack for glasses 50 mm

>□<	W (min-max)
450	395-420
600	545-570
800	745-770
900	845-870









Includes one rack for dishes and one rack for glasses

To be combined with frames and brackets

To be completed with the drip tray (article 61)

Installation depth: 232 mm

Installation height: rack for dishes 57 mm; rack for glasses 30 mm

>□<	W (min-max)
450	414-418
600	564-568
800	764-768
900	864-868


#### Finishes available (racks):

Grey

Coated Nichel

#### Multi-purpose dish drainer wire rack





Multipurpose rack for low furniture To be combined with frames and brackets To be completed with the drip tray (article 61) Installation depth: 232 mm Installation height: 205 mm

>□<	W (min-max)
450	414-418
600	564-568
800	764-768
900	864-868

#### Finishes available (racks):


● Grey

Coated Nichel

Chrome

#### Drip tray for dish drainers





Made of shock-resistant semitransparent polystyrene To be combined with frames and brackets To be completed with racks (articles 51 and 52) Installation depth: 215 mm

>□<	W (min-max)
450	390-394
600	540-544
800	740-744
900	840-844



#### Adjustable aluminium frame for dish drainers



To be completed with racks (articles 51 and 52) and drip tray (article 61) Installation depth (min-max): 280-420 mm Installation height: 62 mm (frame only) On request also available with fixed depth (article 59)

>□<	w
450	414
600	564
800	764
900	864

#### Finishes available:

● Grey



55-355

**Brackets for dish drainers** 





For the side fixing of the dish drainer racks (articles 51 and 52) Version without tray slots (55) Version with tray slots (355) Installation depth: 271 mm (55) 250 mm (355) Installation height: 40 mm (55) 55 mm (355)

#### Finishes available:

Grey



#### Compagnucci High Tech s.r.l.

società a socio unico

Via Scarpara Alta, 57 60030 S.Maria Nuova (AN) Italy Tel. + 39 0731 245999 Fax +39 0731 082201 info@compagnucci.it

www.compagnucci.it

© Compagnucci High Tech s.r.l. October 2024.

The data contained in the catalog can include technical inaccuracies or typographical errors and could be changed by the company. Compagnucci High Tech s.r.l. reserves the right to make changes to its products, without notice.

The reproduction of this catalog and products present in it is prohibited.

